

SUPER PREMIUM WAX RIBBON

Thermal Transfer Ribbon

W728 selected excellent imported raw materials, which makes it own good printing effect, high thermal sensitivity, good scratch resistance, ultra-high printing blackness and wide applicability of labels. it is an excellent enhanced wax in thermal transfer ribbon.



APPLICATIONS

CLOTHING TAGS

RETAIL LABELS

FOOD INFORMATION LABELS


HORTICULTURAL LABELS AND TAGS



TECHNICAL CHARACTERISTICS

- Good thermal sensitivity, low noise
- Fast printing speed
- Extensive label adaptability
- High printing resolution and blackness

TECHNICAL SPECIFICATIONS



RIBBON PROPERTIES

Ink	Wax
Color	Black
Base Film Thickness	4.5 ± 0.3
Total Thickness	7.5 ± 0.5
Ink melting point	75°C
Printing speed	2-12IPS

CERTIFICATIONS



ROHS2.0



REACH



ISO9001/14001



MSDS

HALOGEN

HALOGEN

RECOMMENDED SUBSTRATES

PAPER

Coated paper

Uncoated paper

Coated tag

Uncoated tag

Art paper

Gloss Sheets

Rough paper


ECONOMY SYNTHETICS

Polypropylene

Polyethylene

Polyolefin

Any Other Synthetic Papers



STORAGE CONDITIONS

- 12 months recommended
- 20-85% Relative Humidity
- -5-40°C temperature

WEBSITE

MINGYOU 

<http://www.mingyo.com.cn>



Add: No.33 Ma'an Road,
Tongan Rare Earth Industrial Park,
Xiamen, Fujian, CN

Tel: 86-592-7032981
E-mail: vicky-zhang@minyo-ttr.com
lily.yang@minyo-ttr.com